

WHAT IS CLAIMED IS:

1. A radiation imaging system comprising a radiation image detection panel having means for converting radiations into electric signals, and an
5 outer enclosure which holds therein the radiation image detection panel, wherein;

the radiation imaging system further comprises an elastic support means, and the radiation image detection panel is elastically supported by the elastic
10 support means toward the outer enclosure.

2. The radiation imaging system according to claim 1, which further comprises an electric-circuit board.

15 3. The radiation imaging system according to claim 2, wherein the electric-circuit board comprises a flexible circuit board.

4. The radiation imaging system according to claim
20 2, which further comprises a support plate which supports the radiation image detection panel; the electric-circuit board being provided integrally with the radiation image detection panel.

25 5. The radiation imaging system according to claim 1, wherein the elastic support means comprises a compression coiled spring, a leaf spring or a rubbery

09097431 062504
T05290 T3T3860

6. The radiation imaging system according to claim 1, wherein the elastic support means comprises a spring member having a non-linear spring constant.

10

15

20

11. The radiation imaging system according to
claim 4, wherein a stopper is provided which restricts
the range in which the support plate is downward
movable.

12. A radiation imaging system comprising a radiation image detection panel having means for converting radiations into electric signals, and an outer enclosure which holds therein the radiation image
5 detection panel, wherein;

the radiation imaging system further comprises an elastic support means, and the elastic support means elastically supports an inner case which holds therein the radiation image detection panel.
10

13. The radiation imaging system according to claim 12, wherein the elastic support means is positioned on at least one surface of the overhead surface, the sidewall and the bottom surface inside the
15 outer enclosure.

14. The radiation imaging system according to claim 12, which further comprises an electric-circuit board.
20

15. The radiation imaging system according to claim 14, wherein the electric-circuit board comprises a flexible circuit board.

16. The radiation imaging system according to claim 14, which further comprises a support plate which supports the radiation image detection panel; the
25

electric-circuit board being provided integrally with the radiation image detection panel.

17. The radiation imaging system according to
claim 12, wherein the elastic support means comprises a
compression coiled spring, a leaf spring or a rubbery
member.

18. The radiation imaging system according to
10 claim 12, wherein the inner case has an opening at
least on the side where the radiations are incident.

19. The radiation imaging system according to claim 18, wherein the inner case comprises a flange at the opening, and is supported by the elastic support means via the flange.

20. The radiation imaging system according to claim 19, wherein the elastic support means is provided on the sidewall of the outer enclosure, and is divided up and down at the support flange.